

**IN THE CLAIMS:**

1. (Currently amended) A method for dynamically associating actions with an object, comprising the computer implemented steps of:  
responsive to selection of an object, determining an object type of the selected object;  
determining actions which can be performed on the object type by other objects in a data processing system at the time of selection by querying a separate data structure for a runtime list of actions known to the selected object; and  
associating the determined actions for subsequent performance with the selected object, wherein such subsequent performance is enabled without recompiling the selected object.
2. (Currently amended) The method claim 1, wherein the determining actions step further comprises:  
~~querying the selected object for a runtime list of methods/actions known to the selected object from a database;~~  
retrieving a static list of methods/actions for the object type of the selected object;  
and  
combining the runtime list, of actions known to the selected object and the static list of methods/actions for the object type of the selected object, ~~and actions by other objects~~ to produce a combined list of actions for the object.
3. (Currently amended) The method of Claim 1, wherein the ~~object is a Java object~~ determined actions are presented in an interface to a user.
4. (Original) The method of Claim 1, wherein the determining steps are performed on a Java class.

5. (Currently amended) The method of Claim 2, wherein the selected object is graphical user interface object representative of a network resource and the combined list of actions is presented in the an interface to a user.
6. (Currently amended) The method of claim 2, wherein the method provides a static list of actions for a specific object class.
7. (Currently amended) A method in a data processing system for presenting actions associated with an object displayed in a graphical user interface, the method comprising:  
dynamically associating actions with the object based on an object type of the object by querying a separate data structure for a list of actions known to the object type;  
and  
responsive to a selection of the object, presenting the dynamically associated actions in the graphical user interface, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.
8. (Currently amended) The method of claim 7, wherein the dynamically associated step is performed on a Java class having a superclass, and wherein the presented actions include actions which can be performed on the superclass the selection is made using a pointing device.
9. (Currently amended) The method of claim 8, wherein the selection is made using a pointing device, and wherein the pointing device is one of a mouse, a track ball, a touch pad, a light pen, a touch screen, or a digitizing pad.
10. (Currently amended) The method of claim 7, wherein the object type is a Java class and the separate data structure is queried using a string name for the Java class actions are presented as a pop-up menu.
11. (Original) The method of claim 7, wherein the actions are presented as at least one of a selectable list, a selectable table, a tree, a set of button, and check boxes.

12. (Original) The method of Claim 7, wherein the actions are dynamically associated in response to the selection of the object
13. (Original) The method of claim 7, wherein the actions are dynamically associated when the object is initialized
14. (Original) The method of claim 7 further comprising:  
adding a new action to the actions prior to dynamically associating the actions.
15. (Currently amended) The method of claim 7, wherein changes to the actions result in only existing actions are being presented.
16. (Currently amended) The method of claim 7, wherein the method if is implemented using a Java programming language.
17. (Currently amended) A method in a data processing system for presenting actions associated with an object displayed in a graphical user interface, the method comprising:  
associating actions with the object to form associated actions by querying a separate data structure for a list of actions known to the object, wherein a hard-coded association between the associated actions and the object ~~are~~ is absent within the object, ~~not extensible and undesirable~~; and  
responsive to a selection of the object, presenting the actions in the graphical user interface.
18. (Original) The method of claim 17, wherein the object is a folder and wherein the program is a file navigation program.
19. (Original) The method of claim 17, wherein the object is a security object.

20. (Currently amended) A data processing system comprising:  
a bus system;  
a communications unit connected to the bus system;  
a memory connected to the bus system, wherein the memory includes a set of instructions; and  
a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to dynamically associate actions with the object by querying a separate data structure for a list of actions known to the object; and present the dynamically associated actions in the graphical user interface in response to a selection of the object, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.
21. (Currently amended) A data processing system comprising:  
a bus system;  
a communications unit connected to the bus system;  
a memory connected to the bus system, wherein the memory includes a set of instructions; and  
a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to associate actions with the object to form associated actions by querying a separate data structure for a list of actions known to the object, wherein a hard-coded association between the associated actions and the object ~~are~~ is absent within the object, not extensible and undesirable; and present the actions in the graphical user interface responsive to a selection of the object.
22. (Currently amended) A data processing system comprising:  
a bus system;  
a communications unit connected to the bus system;  
a memory connected to the bus system, wherein the memory includes a set of instructions; and  
a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to identify actions associated with ~~the~~ an object to form

associated actions in response to an execution of a program associated with the object by querying a separate data structure for a list of actions known to the object; and present the associated actions in the graphical user interface in response to a selection of the object, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.

23. (Currently amended) A data processing system for dynamically associating actions with an object, comprising:

first determining means, responsive to selection of an object, for determining an object type of the selected object;

second determining means for determining actions which can be performed on the object type by other objects in a data processing system at the time of selection by querying a separate data structure for a runtime list of actions known to the selected object; and

associating means for associating the determined actions for subsequent performance with the selected object, wherein such subsequent performance is enabled without recompiling the selected object.

24. (Currently amended) The data processing system as in 23 comprising:

~~querying means for querying the selected object for a runtime list of methods/actions known to object from a database;~~

retrieving means for retrieving a static list of methods/actions for the object type of the selected object; and

combining means for combining the runtime list, of actions known to the selected object and the static list of methods/actions for the object type of the selected object, ~~and actions by other objects~~ to produce a combined list of actions for the object.

25. (Currently amended) The data processing system of Claim 23, wherein the ~~object~~ is a Java object determined actions are presented in an interface to a user.

26. (Original) The data processing system of Claim 23, wherein the first determining means and the second determining means process a Java class.

27. (Currently amended) The data processing system of claim 24, wherein the selected object is graphical user interface object representative of a network resource and the combined list of actions is presented in the an interface to a user.

28. (Original) The method of claim 24, wherein the method provides a static list of actions for a specific class.

29. (Currently amended) A data processing system for presenting actions associated with an object displayed in a graphical user interface, the data processing system comprising:

dynamically associating means for dynamically associating actions with the object based on an object type of the object by querying a separate data structure for a list of actions known to the object type; and

presenting means, responsive to a selection of the object, for presenting the dynamically associated actions in the graphical user interface, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.

30. (Currently amended) The data processing system of claim 29, wherein the dynamically associated step is performed on a Java class having a superclass, and wherein the presented actions include actions which can be performed on the superclass the selection is made using a pointing device.

31. (Currently amended) The data processing system of claim 30, wherein the selection is made using a pointing device, and wherein the pointing device is one of a mouse, a track ball, a touch pad, a light pen, a touch screen, or a digitizing pad.

32. (Currently amended) The data processing system of claim 29, wherein the object type is a Java class and the separate data structure is queried using a string name for the Java class actions are presented as a pop-up menu.
33. (Original) The data processing system of claim 29, wherein the actions are presented as at least one of a selectable list, a selectable table, a tree, a set of button, and check boxes.
34. (Original) The data processing system of claim 29, wherein the actions are dynamically associated in response to the selection of the object.
35. (Original) The data processing system of claim 29, wherein the actions are dynamically associated when the object is initialized.
36. (Original) The data processing system of claim 29, wherein the actions are dynamically associated at runtime.
37. (Original) The data processing system of claim 29 further comprising:  
adding means for adding a new action to the actions prior to dynamically associating the actions.
38. (Currently amended) The data processing system of claim 29, wherein changes to the actions result in only existing actions are being presented.
39. (Currently amended) The data processing system of claim 29, wherein the method is implemented using a Java programming language.
40. (Currently amended) A data processing system for presenting actions associated with an object displayed in a graphical user interface, the data processing system comprising:

associating means for associating actions with the object to form associated actions by querying a separate data structure for a list of actions known to the object, wherein a hard-coded association between the associated actions and the object ~~are~~ is absent within the object, ~~not extensible and undesirable~~; and

presenting means, responsive to a selection of the object, for presenting the actions in the graphical user interface.

41. (Currently amended) A data processing system for presenting actions associated with an object displayed in a graphical user interface, the data processing system comprising:

identifying means, responsive to an execution of a program associated with ~~the~~ an object, for identifying actions associated with the object to form associated actions by querying a separate data structure for a list of actions known to the object; and

presenting means, responsive to a selection of the object, for presenting the actions in the graphical user interface, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.

42. (Original) The data processing system of claim 41, wherein the object is a folder and wherein the program is a file navigation program.

43. (Original) The data processing system of claim 41, wherein the object is a security object.

44. (Currently amended) A computer program product in a computer readable medium for dynamically associating actions with an object, the computer program product comprising:

first instructions, responsive to selection of an object, for determining an object type of the selected object;

second instructions for determining actions which can be performed on the object type by other objects in a data processing system at the time of selection by querying a separate data structure for a list of actions known to the selected object; and



third instructions for associating the determined actions for subsequent performance with the selected object, wherein such subsequent performance is enabled without recompiling the selected object.

45. (Currently amended) A computer program product in a computer readable medium for presenting actions associated with an object displayed in a graphical user interface, the computer program product comprising:

first instructions for dynamically associating actions with the object by querying a separate data structure for a list of actions known to the object; and

second instructions, responsive to a selection of the object, for presenting the dynamically associated actions in the graphical user interface, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.

46. (Currently amended) A computer program product in a computer readable medium presenting actions associated with an object displayed in a graphical user interface, the computer program product comprising:

first instructions for associating actions with the object to form associated actions by querying a separate data structure for a list of actions known to the object, wherein a hard-coded association between the associated actions and the object are is absent within the object, not extensible and undesirable; and

second instructions, responsive to a selection of the object, for presenting the actions in the graphical user interface.

47. (Currently amended) A computer program product in a computer readable medium for presenting actions associated with an object displayed in a graphical user interface, the computer program product comprising:

first instructions, responsive to an execution of a program associated with the an object, for identifying actions associated with the object to form associated actions by querying a separate data structure for a list of actions known to the object; and

second instructions, responsive to a selection of the object, for presenting the actions in the graphical user interface, wherein the presented actions are available for immediate execution with respect to the object without recompiling the object.